

DERWENT-ACC-NO: 2001-051292

DERWENT-WEEK: 200107

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: Washable towel for cleaning and drying e.g.
golf clubs,
comprises discrete cleaning and drying sections
separated
by moisture impermeable barriers

PATENT-ASSIGNEE: HENDREN R[HENDI]

PRIORITY-DATA: 2000DE-2012159 (July 13, 2000)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES MAIN-IPC		
DE 20012159 U1	October 26, 2000	N/A
011 A63B 071/00		

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
DE 20012159U1	N/A	2000DE-2012159
July 13, 2000		

INT-CL (IPC): A47L001/15, A63B057/00 , A63B071/00

ABSTRACTED-PUB-NO: DE 20012159U

BASIC-ABSTRACT:

NOVELTY - The towel (10) has a protectable drying surface (12) joined to an elongated cleaning section (14), but separated from it by a moisture-impermeable barrier. The cleaning section includes an area with a high absorption capacity forming a first towel surface. The drying surface comprises a foldable absorbent material forming at least part of a second towel surface (20).

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a similar towel. The towel has reversible edge segments (22) and can be folded

so that
the drying surface forms a partially sealed workpiece-receiving
region bordered
by the fold and edge segments. This region is protected by the
drying section
of the towel in order to keep it dry when the towel is exposed to
precipitation.

USE - For drying and cleaning sports equipment, especially for
outdoor sports.

ADVANTAGE - Discrete cleaning and drying regions enable equipment
inside the
towel to be kept dry and clean.

DESCRIPTION OF DRAWING(S) - Figure 1 shows a side view of the towel.

Towel 10

Protectable drying surface 12

Elongated cleaning section 14

Towel surface 20

Reversible edge segments 22

Central axis 24

Hook 32

Loop 33

Fastener device for securing towel to e.g. caddys belt 40

Fastener device base region 42

Snap-fit coupling 44

CHOSEN-DRAWING: Dwg.1/7

TITLE-TERMS: WASHING TOWEL CLEAN DRY GOLF CLUB COMPRISE DISCRETE
CLEAN DRY

SECTION SEPARATE MOIST IMPERMEABLE BARRIER

DERWENT-CLASS: P28 P36

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2001-039347

